


PRODUCT-DETAILS

KLC T7M KEY LOCK RONIS-PROF.OP.(PREDIS)

KLC T7M KEY LOCK RONIS-PROF.OP.(PREDIS)



General Information	
Extended Product Type	KLC T7M KEY LOCK RONIS-PROF.OP.(PREDIS)
Product ID	1SDA062146R1
EAN	8015644646851
Catalog Description	KLC T7M KEY LOCK RONIS-PROF.OP.(PREDIS)
Long Description	KEY LOCK RONIS-PROFALUX IN OPEN (PREDISPOSITION ONLY) T7M

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering		
EAN		8015644646851
Minimum Order Quantity		1 piece
Customs Tariff Number		85389099

Dimensions		
Product Net Weight		0.1 kg

Container Information		
Package Level 1 Units		1 piece
Package Level 1 Width		150 mm
Package Level 1 Height		20 mm
Package Level 1 Depth / Length		200 mm
Package Level 1 Gross Weight		0.1 kg
Package Level 1 EAN		8015644646851

Additional Information		
Configuration Type		Loose or configurable
Product Main Type		Accessories for Tmax T
Product Name		Accessory
Product Type		Accessory
Standards		IEC
Suitable For		T7
Suitable for Product Class		SACE Tmax T

Certificates and Declarations		
Data Sheet, Technical Information		1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE		Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals		1SDH000529R0636

Classifications		
ETIM 7		EC002498 - Accessories for low-voltage switch technology
ETIM 8		EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9		EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code		Q
UNSPSC		39120000
WEEE Category		5. Small Equipment (No External Dimension More Than 50 cm)
eClass		V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

