



PRODUCT-DETAILS

# N2180.5 BL

## DND/MUR corridor with LED not exchangeable White - Zenit



General Information	
Extended Product Type	N2180.5 BL
Product ID	2CLA218050N1101
EAN	8427238093802
Catalog Description	DND/MUR corridor with LED not exchangeable White - Zenit
Long Description	Color: White.
	Rated voltage: 127-230 Vac / 50-60 Hz
	Lamp: white LED
	Luminous flux: > 2 lumen at 1 meter
	Green diffuser
Make Up Room (MUR) symbol	
To be controlled with N2244.5 DND/MUR 2-gang interlocked switch	
Size: 1 module.	

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush Mounted
Type of Fastening	Engage (Snap)

Environmental	
Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Technical	
Data Sheet, Technical Information	9AKK10103A5108
Lamp Type	LED not exchangeable
Lamp Color	White
Number of Batteries	0

Electrical	
Rated Voltage (U <sub>r</sub> )	230 V

Design	
Design Range	Zenit
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
RAL Number	RAL 9010 - Pure White
Color	White

Dimensions	
Product Net Width	22 mm
Product Net Height	44 mm
Product Net Weight	0.027 kg
Built-In Depth (t <sub>2</sub> )	40 mm

Ordering	
Replaced Product ID (OLD)	2CLA218050N1102 2CLA218050N1103

Material Compliance	
RoHS Information	2CLC218050N1101
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20230816
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A5902
-----------------------------------	-----------------

Classifications

ETIM 9	EC000064 - Information light signal for domestic switching devices
UNSPSC	39121534
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Electronic Controls

