

PRODUCT-DETAILS

S2C-CM1

S2C-CM1 Motor Operating Device



| General Information | |
|-----------------------|---|
| Extended Product Type | S2C-CM1 |
| Product ID | 2CSS201997R0013 |
| EAN | 8012542026259 |
| Catalog Description | S2C-CM1 Motor Operating Device |
| Long Description | The S2C-CM1 motor operating device has the function to allow the remote control (opening or closing) of the MCB it is associated to. It can assembled to 1 pole MCBs (up to 63A) of S200 range. |

| Technical | |
|---------------------------------|--|
| Suitable For | S200 S200M S200P S200 MUC SD200 S300P |
| Suitable for Product Class | Miniature Circuit Breakers MCBs |
| Rated Voltage (U _r) | 12 V |
| Operational Voltage | 12 ... 30 +10% -15% V AC 12 ... 48 +10% -15% V DC |
| Input Voltage Type | AC/DC |
| Rated Frequency (f) | AC 50 ... 60 Hz |

| | |
|---|---|
| | 12 V AC - < 16 V·A 24 V AC - < 27 V·A 30 V AC - < 28 V·A 12...48 V DC - < 22 V·A |
| Power Loss | 1.5 W |
| Electrical Endurance | 20000 cycle |
| Number of Contacts CO | 1 |
| Number of Contacts NC | 0 |
| Number of Contacts NO | 0 |
| Number of Auxiliary Contacts CO (SPDT) | 1 |
| Mounting Type | DIN-Rail |
| Connecting Capacity | 2.5 mm² |
| Terminal Type | Screw Terminals |

Material Compliance

| | |
|---|-----------------------------------|
| RoHS Information | 9AKK106713A5575 |
| RoHS Status | Following EU Directive 2011/65/EU |
| RoHS Date | 20220528 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Environmental

| | |
|---------------------------|--|
| Ambient Air Temperature | Operation -25 ... +55 °C Storage -40 ... +70 °C |
| Degree of Protection | Enclosure with Cover IP20 |
| Pollution Degree | 2 |
| Environmental Information | Refer to RoHS |

Dimensions

| | |
|-------------------------------|----------|
| Product Net Width | 36 mm |
| Product Net Height | 0.089 m |
| Product Net Depth / Length | 0.081 m |
| Product Net Weight | 0.168 kg |

Ordering

| | |
|---------------------------------|-----------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross Weight | 0.24 kg |
| E-Number (Sweden) | 2102490 |
| Replacement Product ID (NEW) | 2CSS201998R0033 |

Certificates and Declarations

| | |
|---------------------------|-----------------|
| Declaration of Conformity | 9AKK106713A5575 |
|---------------------------|-----------------|

- CE

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 9AKK107680A3323 |
|--------------------------|-----------------|

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107046A5456 |
|-----------------------------------|-----------------|

Classifications

| | |
|------------------------------------|--|
| ETIM 8 | EC001286 - Auxiliary device for distribution board devices |
| ETIM 9 | EC001286 - Auxiliary device for distribution board devices |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 85365080 |
| UNSPSC | 39122221 |
| eClass | V11.0 : 27143502 |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory |
| Object Classification Code | Q |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories

