

bus connector extended front mounted; 4 units accessory for: 3VA15; 3VA25




Model		
product brand name	SENTRON	
accessories	Bus connector extended	
Connections according IEC		
thickness / of the busbar <ul style="list-style-type: none">• minimum• maximum	30	
width / of the busbar / maximum	50.8 mm	
Connetctions according UL		
width / of the busbar / maximum	2 in	
thickness / of the busbar / maximum	1.18 in	
Certificates		
General Product Approval	EMV	Test Certificates




[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment			
	Miscellaneous	Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9604-0QB00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VA9604-0QB00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9604-0QB00
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications



last modified:

8/19/2022 

