

bus connector extended front mounted; 3 units for India accessory for: 3VM10/11

| Model                                                                           |                              |
|---------------------------------------------------------------------------------|------------------------------|
| product brand name                                                              | SETRON                       |
| product designation                                                             | accessories                  |
| design of the product                                                           | front bus connectors 3 units |
| accessories                                                                     | Bus connector extended       |
| General technical data                                                          |                              |
| designation / of the terminal                                                   | screw-type termination       |
| Connections according IEC                                                       |                              |
| connectable conductor cross-section                                             |                              |
| • for copper cable / stranded / minimum                                         | 25 mm <sup>2</sup>           |
| • for copper cable / stranded / maximum                                         | 70 mm <sup>2</sup>           |
| type of connectable conductor cross-sections / of the laminated conductor rails |                              |
| • maximum                                                                       | 1x22x8                       |
| tightening torque / when using copper cables                                    |                              |
| • stranded                                                                      | 12                           |
| thickness / of the busbar                                                       |                              |
| • minimum                                                                       | 3 ... 8                      |
| • maximum                                                                       |                              |
| width / of the busbar / maximum                                                 | 22 mm                        |
| Certificates                                                                    |                              |
| General Product Approval                                                        | Test Certificates            |



[Confirmation](#)



EG-Konf.

[Miscellaneous](#)



[Miscellaneous](#)

| Marine / Shipping                                                                          | other                        | Environment                   |                                             |
|--------------------------------------------------------------------------------------------|------------------------------|-------------------------------|---------------------------------------------|
| <br>LRS | <a href="#">Confirmation</a> | <a href="#">Miscellaneous</a> | <a href="#">Environmental Confirmations</a> |

| Further information                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a><br>Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a><br>Industry Mall (Online ordering system) |

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VM9153-0QB50>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VM9153-0QB50>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VM9153-0QB50](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VM9153-0QB50)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/19/2022 

