SQUARE D



NEMA motor starter, Type S, nonreversing, Size 1, 27A, 10HP at 460VAC, 5kA SCCR, 3 phase, 3 pole, melting alloy, 240VAC coil, open

8536SCO3V03

Product availability: Stock - Normally stocked in distribution facility

Price*: 557.00 USD

Main

Product Type	Motor starter	
Product Range	S	
Starter Type	Non reversina	

Complementary

NEMA Size	1	
Rated Current	27 A	
Number of Poles	3P	
Maximum Voltage Rating	600 V AC	
Phase	3 phase	
Type of Overload	Melting alloy 3	
Horsepower Rating	7.5 HP 200 V AC 7.5 HP 230 V AC 10 HP 460 V AC 10 HP 575 V AC	
SCCR	Circuit-breaker: 5 kA at 600 V AC Fuse: 5 kA at 600 V AC	
Coil Voltage	220 V AC 50 Hz 240 V AC 60 Hz	
Control Circuit Type	Common control circuit	
Control Units	No control units	
Pilot Light	Without pilot light	
Auxiliary Contacts	Without	
Terminal Type	Screw clamp terminals	
Height	6.81 in (172.96 mm)	
Width	3.50 in (88.90 mm)	
Depth	4.22 in (107.19 mm)	

Environment

Enclosure Type	Not rated (open device)
----------------	-------------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Certifications UL Listed
CSA
NEMA

Ordering and shipping details

Category	US10CP121192	
Discount Schedule	0CP1	
GTIN	785901872139	
Returnability	Yes	
Country of origin	US	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.60 in (11.684 cm)
Package 1 Width	5.80 in (14.732 cm)
Package 1 Length	8.00 in (20.32 cm)
Package 1 Weight	4.041 lb(US) (1.833 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Not compliant
China RoHS Regulation	China RoHS declaration
California proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"
PVC free	Yes


Use Again

○ Repack and remanufacture	
Take-back	No

Dimensions Drawings

Approximate Dimensions and Clearance

Electrical Clearance / Wire Bending Space



NEMA SIZE 1 STARTER 3-Pole Polyphase 600 VAC. 50-60 HZ

Coil Voltage	Voltage	
Code (*)	60 HZ	50 HZ
V01	24	_
V02	120	110
V08	208	_
V03	240	220
V06	480	440
V07	600	550
V99	Specify	Specify

Catalog Number: 8536SCO3(*)

Weight: 5 LB

Wire Size: Power: #14-#8

Control: #16-#12

Terminal Torque: 20 LB/IN (3) #10 Screws Mounting Hwd.