SQUARE D



NEMA motor starter, Type S, nonreversing, Size 2, 45A, 25HP at 460VAC, 5kA SCCR, 3 phase, 3 pole, melting alloy, 240VAC coil, open

8536SDO1V03

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 1,013.00 USD

Main

Product Type	Motor starter	
Product Range	S	
Starter Type	Non reversina	

Complementary

NEMA Size	2	
Rated Current	45 A	
Number of Poles	3P	
Maximum Voltage Rating	600 V AC	
Phase	3 phase	
Type of Overload	Melting alloy 3	
Horsepower Rating	10 HP 200 V AC 15 HP 230 V AC 25 HP 460 V AC 25 HP 575 V AC	
SCCR	Circuit-breaker: 5 kA at 600 V AC Fuse: 5 kA at 600 V AC	
Coil Voltage	220 V AC 50 Hz 240 V AC 60 Hz	
Control Circuit Type	Common control circuit	
Control Units	No control units	
Pilot Light	Without pilot light	
Auxiliary Contacts	Without	
Terminal Type	Screw clamp terminals	
Height	7.81 in (198.37 mm)	
Width	4.31 in (109.47 mm)	
Depth	4.94 in (125.48 mm)	

Environment

Enclosure Type	Not rated (open device)
----------------	-------------------------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Certifications UL Listed
CSA
NEMA

Ordering and shipping details

Category	US10CP121192	
Discount Schedule	0CP1	
GTIN	785901882022	
Returnability	Yes	
Country of origin	MX	

Packing Units

r adming dime		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	6.80 in (17.272 cm)	
Package 1 Width	6.70 in (17.018 cm)	
Package 1 Length	9.30 in (23.622 cm)	
Package 1 Weight	6.810 lb(US) (3.089 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	104	
Package 2 Height	40.00 in (101.6 cm)	
Package 2 Width	40.00 in (101.6 cm)	
Package 2 Length	48.00 in (121.92 cm)	
Package 2 Weight	709.0006 lb(US) (321.597 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	Yes	
EU RoHS Directive	Compliant with Exemptions	
China RoHS Regulation	China RoHS declaration	
California proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"	
PVC free	Yes	

Use Again

○ Repack and remanufacture		
Take-back	No	