Product datasheet

Specifications

Green Premium™

Opale switch 1-way 2 module 16A CG with indicator lamp

AAKY1128

⚠ Discontinued on: 03-Jul-2023

⚠ **Discontinued**

Main

Range	Opale
Product or component type	Switch with indicator lamp
Device application	Control
device presentation	Mechanism with central plate
Light source	Covered LED, red

Complementary

Device mounting	Flush
Number of modules	2 modules
Actuator	Rocker
Switch function	1-way
Rated current	16 A
Lamp function	Indicator
Material	Plastic
Fixing mode	By captive screws
Connections - terminals	Shrouded terminals
Height	48 mm
Width	42 mm
Depth	35.6 mm

Environment

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-5…35 °C
Relative humidity	10…95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	4.3 cm

Package 1 Length	3.3 cm
Package 1 Weight	17 g
Unit Type of Package 2	BB1
Number of Units in Package 2	120
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	2045 g

Life Is On | Schneider Electric

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Eu Rohs Directive   Compliant

EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations