

Product datasheet

Specifications



Opale socket-outlet 3P with shutter 16A white

AAKY2103

⚠ Discontinued on: 03-Jul-2023

⚠ Discontinued

Main

Range	Opale
Product or component type	Socket-outlet
Device application	Connection
device presentation	Mechanism with central plate
Outlet poles configuration	3P with shutters
Colour tint	Coke grey

Complementary

Number of power socket outlets	1
Device mounting	Flush
Number of modules	2 modules
Rated current	16 A
[Ue] rated operational voltage	250 V AC/DC
Connections - terminals	Shrouded terminals
Material	PC/ABS
Fixing mode	By captive screws

Environment

Environmental characteristic	Flame retardant
Standards	IS 1293:1988
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	4.2 cm
Package 1 Length	2.1 cm
Package 1 Weight	34 g
Unit Type of Package 2	BB1
Number of Units in Package 2	280

Package 2 Height	215 cm
Package 2 Width	340 cm
Package 2 Length	445 cm
Package 2 Weight	9525 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 **Rohs Exemption Information** [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations