Product datasheet

Specifications





TeSys F - contactor coil - LX4FF - 24 V DC

LX4FF024

(!) To be discontinued on: 31-Dec-2028

① To be discontinued

Main

Range	TeSys	
Product or component type	Contactor coil	
Device short name	LX4FF	
Range compatibility	TeSys TeSys F LC1F contactor	
Product compatibility	LC1F150 LC1F115	
Control circuit type	DC low consumption	
[Uc] control circuit voltage	24 V DC	
Inductance of closed circuit	11 H	
Average resistance	1.12 Ohm inrush at 20 °C 177 Ohm holding at 20 °C	
Operating time	3040 ms closing 3050 ms opening	
Mechanical durability	10 Mcycles	
Maximum operating rate	2400 cyc/h 55 °C	

Complementary

Coil technology	Without built-in suppressor module
Control circuit voltage limits	Operational: 0.851.1 Uc (at 55 °C) Drop-out: 0.150.2 Uc (at 55 °C)
Inrush power in W	560 W (at 20 °C)
Hold-in power consumption in W	4.5 W at 20 °C

Environment

Ambient air temperature for operation	-555 °C
Net weight	0.43 kg

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	7.300 cm	
Package 1 Width	8.200 cm	
Package 1 Length	15.800 cm	

Package 1 Weight	528.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	14
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.824 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information