

Product datasheet

Specifications



Switch, Livia, 16AX, 2 way, painted grey

P1102_PG

Main

Range	Livia
Device application	Control
Product or component type	Switch
device presentation	Mechanism with fixing frame
Colour tint	Grey

Complementary

Device mounting	Flush
Switch function	2-way
Rated current	16 AX
[Ue] rated operational voltage	110/240 V AC
Fixing mode	By 2 screws
Material	PC (polycarbonate) matt
Embedding depth	24 mm
Surface treatment	Antibacterial
Height	54 mm
Width	22.5 mm
Depth	36.5 mm

Environment

IP degree of protection	IP2X
Standards	IS 3854

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	5.5 cm
Package 1 Length	14.2 cm
Package 1 Weight	25 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20

Package 2 Height	6 cm
Package 2 Width	10.5 cm
Package 2 Length	21.5 cm
Package 2 Weight	550 g
Unit Type of Package 3	CAR
Number of Units in Package 3	600
Package 3 Height	33.5 cm
Package 3 Width	34.5 cm
Package 3 Length	44 cm
Package 3 Weight	17.25 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Sustainable Packaging

Resource performance

✓ Sustainable Packaging

Well-being performance

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information
