



PRODUCT-DETAILS

PSCT-75

PSCT-75 Current Transformer



General Information	
Extended Product Type	PSCT-75
Product ID	1SFA899001R1075
ABB Type Designation	CURRENT TRAF0#PSCT-75
EAN	7320500215869
Catalog Description	PSCT-75 Current Transformer
Long Description	The PSCT-75 Current Transformer is suitable for PSS50/85, PSS60/105, PST72 Softstarters.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SFC132013C0201
Instructions and	1SFC132005C0201

Manuals

CAD Dimensional Drawing	2CDC001079B0201
-------------------------	-----------------

Dimensions

Product Net Width	84 mm
Product Net Height	43.4 mm
Product Net Depth / Length	45.6 mm
Product Net Weight	0.232 kg

Technical

Product Main Type	PSCT
-------------------	------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006481
RoHS Information	2CMT2022-006500
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006524
WEEE B2C / B2B	Business To Business
WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Width	104 mm
Package Level 1 Depth / Length	65.6 mm
Package Level 1 Height	63.4 mm
Package Level 1 Gross Weight	0.282 kg
Package Level 1 EAN	7320500215869
Package Level 1 Units	box 1 piece

Classifications

Object Classification Code	Q
ETIM 7	EC000249 - Protection switch disconnecter housing
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39121000

Categories

Drives → Softstarters → Softstarters → Accessories for Softstarters

Low Voltage Products and Systems → Control Products → Softstarters → Softstarters → Accessories for Softstarters

Drives → Softstarters → Service → Spares and Consumables

Low Voltage Products and Systems → Control Products → Softstarters → Service → Spares and Consumables

