





Mini circuit breaker, QO, 50A, 3 pole, 120/240VAC, 10kA, bolt on

QOB350

Product availability: Stock - Normally stocked in distribution facility

Price*: 316.44 USD

Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	50 A
Voltage Rating	120/240 V AC 240 V AC 120 V AC
Mounting Type	Bolt-on
Number of Poles	3P
Circuit Breaker Type	Standard
Ratings	HACR rated
Electrical Connection	Box lugs

Complementary

Interrupt Rating	10 kA 120/240 V AC 10 kA 240 V AC 10 kA 120 V AC
Number of Panel Spaces	3
Wire Size	AWG 8AWG 2 copper or aluminium
Tightening Torque	44.3 lbf.in (5 N.m)
Height	3.1 in (79 mm)
Width	2.2 in (57 mm)
Depth	2.9 in (74 mm)
Net Weight	0.851 lb(US) (0.386 kg)

Environment

Certifications	UL Listed CSA	
Ambient Rating	104.000000000 °F (40 °C)	

Ordering and shipping details

Category	US10DE200015
Discount Schedule	0DE2
GTIN	785901417163
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin US

Packing Units

Unit Type of Package 1 PCE Number of Units in Package 1 1 Package 1 Height 2.20 in (5.59 cm) Package 1 Width 3.0000000000 in (7.62 cm) Package 1 Length 3.60 in (9.14 cm) Package 1 Weight 13.60 oz (385.56 g) Unit Type of Package 2 BB1 Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm) Package 3 Length 21.600 in (54.864 cm)		
Package 1 Height 2.20 in (5.59 cm) Package 1 Width 3.00000000000 in (7.62 cm) Package 1 Length 3.60 in (9.14 cm) Package 1 Weight 13.60 oz (385.56 g) Unit Type of Package 2 BB1 Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Unit Type of Package 1	PCE
Package 1 Width 3.0000000000 in (7.62 cm) Package 1 Length 3.60 in (9.14 cm) Package 1 Weight 13.60 oz (385.56 g) Unit Type of Package 2 BB1 Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Number of Units in Package 1	1
Package 1 Length 3.60 in (9.14 cm) Package 1 Weight 13.60 oz (385.56 g) Unit Type of Package 2 BB1 Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 1 Height	2.20 in (5.59 cm)
Package 1 Weight 13.60 oz (385.56 g) Unit Type of Package 2 BB1 Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 1 Width	3.0000000000 in (7.62 cm)
Unit Type of Package 2 BB1 Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 1 Length	3.60 in (9.14 cm)
Number of Units in Package 2 3 Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 1 Weight	13.60 oz (385.56 g)
Package 2 Height 3.400 in (8.636 cm) Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Unit Type of Package 2	BB1
Package 2 Width 2.800 in (7.112 cm) Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Number of Units in Package 2	3
Package 2 Length 6.900 in (17.526 cm) Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 2 Height	3.400 in (8.636 cm)
Package 2 Weight 2.58 lb(US) (1.17 kg) Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 2 Width	2.800 in (7.112 cm)
Unit Type of Package 3 CAR Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 2 Length	6.900 in (17.526 cm)
Number of Units in Package 3 36 Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Package 2 Weight	2.58 lb(US) (1.17 kg)
Package 3 Height 3.400 in (8.636 cm) Package 3 Width 14.200 in (36.068 cm)	Unit Type of Package 3	CAR
Package 3 Width 14.200 in (36.068 cm)	Number of Units in Package 3	36
	Package 3 Height	3.400 in (8.636 cm)
Package 3 Length 21.600 in (54.864 cm)	Package 3 Width	14.200 in (36.068 cm)
	Package 3 Length	21.600 in (54.864 cm)
Package 3 Weight 31.90 lb(US) (14.47 kg)	Package 3 Weight	31.90 lb(US) (14.47 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Ø	Toxic Heavy Metal Free	
Ø	Mercury Free	
②	Rohs Exemption Information	Yes
⊘	Halogen Free Product	

Certifications & Standards

Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Circularity Profile	No need of specific recycling operations