



PRODUCT-DETAILS

CCL16-11E

CCL16-11E Auxiliary Contact Block



General Information	
Extended Product Type	CCL16-11E
Product ID	SK829002-E
ABB Type Designation	CAL 16-11E
EAN	7320500018712
Catalog Description	CCL16-11E Auxiliary Contact Block
Long Description	CCL16-11E Auxiliary Contact Block, with 1 N.O. and 1 N.C.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	5309660-8Y

Dimensions

Product Net Width	65 mm
Product Net Depth / Length	15 mm
Product Net Height	70 mm
Product Net Weight	0.05 kg

Technical

Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Coil Terminals IP20
Suitable For	EH175 EH210 EH260 EH300 EH370 EH450 EH550 EH700 EH800 EH1200 EK110 EK150 EK175 EK210 EK370 EK550 EK1000
Product Name	Auxiliary Contact Block

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

CQC Certificate	CQC2012010304553194
Declaration of Conformity - CCC	2020980304001514
Declaration of Conformity - CE	2CMT2015-005448
Declaration of Conformity - UKCA	2CMT2020-006119

Container Information

Package Level 1 Units	box 1 piece
-----------------------	-------------

Package Level 1 Width	65 mm
Package Level 1 Depth / Length	70 mm
Package Level 1 Height	15 mm
Package Level 1 Gross Weight	0.07 kg
Package Level 1 EAN	7320500018712

External Classifications and Standards

Object Classification Code	K
ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
ETIM 9	EC000041 - Auxiliary contact block
UNSPSC	39121522
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

