

Product datasheet

Specifications



Ulti - 240V 9.1 A 1 gang relay switch impress switch module, amber LED

U201SRY2KWZB

⚠ Discontinued on: 26-Mar-2024

⚠ Discontinued

Main

Range	Ulti
Product or component type	Switch module
Load type	Halogen lamp
Switch application	Switch

Complementary

Bulb type	LED amber
Rated current	<= 9.1 A at 220...240 V AC 50/60 Hz
Number of cables	1 cable(s) 1...2.5 mm²
Device mounting	Flush
Fixing mode	By screws
Distance between centers	60.3 mm
Number of gangs	1 gang
Switch function	Relay switch
Width	87 mm
Height	87 mm
Depth	35.2 mm

Environment

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %
Standards	EN 60669-2-1
Environmental characteristic	No UV resistant
IP degree of protection	IP20 indoor use only
Operating altitude	<= 2000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.2 cm
Package 1 Width	12.2 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	12.2 cm
Package 1 Weight	312.53 g
Unit Type of Package 2	CAR
Number of Units in Package 2	15
Package 2 Height	18 cm
Package 2 Width	31.2 cm
Package 2 Length	56.5 cm
Package 2 Weight	4687.95 g
Unit Type of Package 3	PAL
Number of Units in Package 3	150
Package 3 Height	120 cm
Package 3 Width	60 cm
Package 3 Length	80 cm
Package 3 Weight	713192.5 g

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)


[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information [Yes](#)

Certifications & Standards

Eu RoHS Directive Compliant with Exemptions

China RoHS Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations