# **Product datasheet**

Specification





# Cover frame, Unica Pure, with fixing frame, 2 gangs, 8 module square, pearl Black

UNPCP8MSQ\_GB

#### Main

Range of product	Unica	
Range	Unica Pure	
Product or component type	Cover frame	

### Complementary

Module size	8 Module Square
Colour tint	Pearl Black
Device mounting	Flush
Provided equipment	Fixing frame
Width	159 mm
Height	167 mm
Depth	15 mm
Net weight	0.323 kg
Material	Tempered glass: main PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame

#### **Environment**

Ambient air temperature for storage	-535 °C	
Relative humidity	1095 %	
Environmental characteristic	Indoor use	_

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	15.9 cm
Package 1 Length	16.7 cm
Package 1 Weight	192 g
Unit Type of Package 2	BB1
Number of Units in Package 2	15
Package 2 Height	21 cm
Package 2 Width	33.5 cm

Package 2 Length	44 cm	
Package 2 Weight	2.88 kg	



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>②</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations