Product datasheet

Specifications

Green Premium™

Cover frame, Unica Pure, with fixing frame, 2 gangs, 8 module square, aqua glass

UNPCP8MSQ_GW

Main

Range of product	Unica
Range	Unica Pure
Product or component type	Cover frame

Complementary

Module size	8 Module Square
Colour tint	Aqua glass
Device mounting	Flush
Provided equipment	Fixing frame
Width	159 mm
Height	167 mm
Depth	15 mm
Net weight	0.323 kg
Material	Tempered glass: main PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame

Environment

Ambient air temperature for storage	-5…35 °C
Relative humidity	10…95 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	15.9 cm
Package 1 Length	16.7 cm
Package 1 Weight	192 g
Unit Type of Package 2	BB1
Number of Units in Package 2	15
Package 2 Height	21 cm
Package 2 Width	33.5 cm

Package 2 Length	44 cm
Package 2 Weight	2.88 kg

Life Is On | Schneider Electric

Sustainability ![Green Premium]

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations