

USB Charger, Unica Pure, A+C type, 1 module, 2.4A, 5V, grey

UNSACUSB1P1M_GY

Main

Range	Unica Pure
Product or component type	USB charger
device presentation	Mechanism
Type of USB power supply	USB type A + C
Colour tint	Grey (RAL 7021)
Type of packing	Flow-pack
Quantity per set	1
Number of terminals	2 screw terminals
Main colour tint	Grey

Complementary

Device mounting	Flush
Output current	2.4 A
[Ue] rated operational voltage	100240 V AC at 50/60 Hz
Surface finish	Glossy
Number of modules	1 module
Fixing mode	Snap-fitted
Connector type	USB A+C
Material	PC: front cover PA6: base
Wire stripping length	10 mm
Height	44.8 mm
Width	22.2 mm
Depth	41.35 mm
Net weight	0.034 kg

Environment

Ambient air temperature for operation	040 °C
Ambient air temperature for storage	-560 °C
Relative humidity	1090 %
Standards	IEC 60950-1 IS 13252

IK degree of protection	IK02
IP degree of protection	IP20
Environmental characteristic	Indoor use

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.48 cm
Package 1 Width	2.219 cm
Package 1 Length	4.135 cm
Package 1 Weight	36.5 g
Unit Type of Package 2	CAR
Number of Units in Package 2	9
Package 2 Height	24.5 cm
Package 2 Width	26 cm
Package 2 Length	33 cm
Package 2 Weight	6.039 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information