

Product datasheet

Specifications



Dimmer, Unica Pure, 400W for incandescent , 1 module, grey

UNSDIM1M_GY

Main

Range	Unica Pure
Product or component type	Dimmer
device presentation	Mechanism
Number of modules	1 module
Colour tint	Grey
[Ue] rated operational voltage	220 V
network type	AC
network frequency	50/60 Hz
Main colour tint	Grey

Complementary

Device mounting	Flush
Fixing mode	Snap-in
dimmer control	Rotary
Load type	Incandescent lamp
Material	ABS (acrylonitrile butadiene-styrene): front cover PC 10 % GF: base cover
Ambient air temperature for operation	-5...35 °C
Depth	52.9 mm
Width	22.5 mm
Height	45 mm
Net weight	0.0285 kg

Environment

Environmental characteristic	Indoor use
------------------------------	------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.0 cm
Package 1 Width	7.8 cm
Package 1 Length	25.9 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	39.0 g
------------------	--------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

	Mercury Free	
	Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions	
China Rohs Regulation	China RoHS declaration	Product out of China RoHS scope. Substance declaration for your information