

# Product datasheet

Specifications



remote terminal, Altivar, for variable speed drive, IP54

VW3A1006

## Main

|                                       |  |
|---------------------------------------|--|
| Range of product                      | Altivar  |
| Accessory / separate part type        | Remote terminal  |
| Accessory / separate part category    | Display and signalling accessory   |
| Accessory / separate part destination | Variable speed drive   |
| Range compatibility                   | Altivar Machine ATV320<br>Altivar 32<br>Altivar 12<br>Easy Altivar 310<br>Altivar 312 Solar<br>Altivar 312 |
| IP degree of protection               | IP54   |

## Complementary

|                   |                   |
|-------------------|-------------------|
| Mounting location | Door of enclosure |
| Net weight        | 0.25 kg           |

## Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 4.6 cm   |
| Package 1 Width              | 6.7 cm   |
| Package 1 Length             | 8.7 cm   |
| Package 1 Weight             | 66.0 g   |
| Unit Type of Package 2       | S03      |
| Number of Units in Package 2 | 90       |
| Package 2 Height             | 30.0 cm  |
| Package 2 Width              | 30.0 cm  |
| Package 2 Length             | 40.0 cm  |
| Package 2 Weight             | 6.725 kg |


Offer Sustainability

|                            |   |
|----------------------------|---|
| REACH Regulation           | <a href="#">REACH Declaration</a>   |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a> |
| Mercury free               | Yes   |
| China RoHS Regulation      | <a href="#">China RoHS declaration</a>  |
| RoHS exemption information | <a href="#">Yes</a>   |

Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Dimensions



Recommended replacement(s)