Product datasheet

Specifications

Opale dimmer 400W white

X3104WH

⚠ Discontinued on: 15-Aug-2024

⚠ **Discontinued**

Main

Range	Opale
Product or component type	Dimmer
Device application	Control
Dimmer type	Rotary dimmer
Load type	Incandescent lamp
Colour tint	White
Main colour tint	White
Material	PC: front cover PA (polyamide) 6: base cover PC: knob
[Ue] rated operational voltage	220 V
network type	AC
network frequency	50/60 Hz

Complementary

Device mounting	Flush
dimmer control	Rotary
number of modules	1
Power range	400 W
Surface finish	Satin
Fixing mode	By captive screws
Height	51 mm
Width	21.1 mm
Depth	56 mm

Environment

IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.3 cm

Package 1 Width	4.8 cm
Package 1 Length	2.1 cm
Package 1 Weight	31 g
Unit Type of Package 2	BB1
Number of Units in Package 2	150
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	4655 g

Life Is On | Schneider Electric

02-Sept-2024

Sustainability ![Green Premium]

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Eu Rohs Directive   Compliant

EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations